

	Type	Hits	Search Text	DBs	Time Stamp	Comments
1	BRS	107	361/689 and fan and (fin or prong or pin)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/06 08:21	
2	BRS	207	361/689 and fan and (fin or prong or pin)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/06 08:31	
3	BRS	582	361/690 and fan and (fin or prong or pin)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/06 08:50	
4	BRS	492	(361/690 and fan and (fin or prong or pin)) not (361/689 and fan and (fin or prong or pin))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/06 08:31	
5	BRS	331	361/694 and fan and (fin or prong or pin)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/06 08:54	
6	BRS	283	(361/694 and fan and (fin or prong or pin)) not (361/689 and fan and (fin or prong or pin))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/06 08:50	
7	BRS	133	((361/694 and fan and (fin or prong or pin)) not (361/689 and fan and (fin or prong or pin))) not (361/690 and fan and (fin or prong or pin))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/06 08:50	
8	BRS	1131	361/695 and (fin or prong or pin)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/06 09:18	
9	BRS	1047	(361/695 and (fin or prong or pin)) not (361/689 and fan and (fin or prong or pin))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/06 08:55	
10	BRS	769	((361/695 and (fin or prong or pin)) not (361/689 and fan and (fin or prong or pin))) not (361/690 and fan and (fin or prong or pin))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/06 08:55	
11	BRS	688	((361/695 and (fin or prong or pin)) not (361/689 and fan and (fin or prong or pin))) not (361/690 and fan and (fin or prong or pin))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/06 08:55	
12	BRS	764	361/699 and (fin or prong or pin)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/06 09:09	
13	BRS	663	(361/699 and (fin or prong or pin)) not (361/689 and fan and (fin or prong or pin))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/06 09:09	
14	BRS	618	((361/699 and (fin or prong or pin)) not (361/689 and fan and (fin or prong or pin))) not (361/690 and fan and (fin or prong or pin))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/06 09:10	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
15	BRS	523	((361/699 and (fin or prong or pin)) not (361/689 and fan and (fin or prong or pin))) not (361/690 and fan and (fin or prong or pin))) not (361/695 and (fin or prong or pin))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/06 09:10	
16	BRS	520	((361/699 and (fin or prong or pin)) not (361/689 and fan and (fin or prong or pin))) not (361/690 and fan and (fin or prong or pin))) not (361/695 and (fin or prong or pin))) not (361/694 and fan and (fin or prong or pin))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/06 09:10	
17	BRS	275	361/697 and fan and (prong or pin)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/06 09:19	
18	BRS	261	(361/697 and fan and (prong or pin)) not (361/689 and fan and (fin or prong or pin))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/06 09:19	
19	BRS	172	((361/697 and fan and (prong or pin)) not (361/689 and fan and (fin or prong or pin))) not (361/690 and fan and (fin or prong or pin))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/06 09:19	
20	BRS	149	((361/697 and fan and (prong or pin)) not (361/689 and fan and (fin or prong or pin))) not (361/690 and fan and (fin or prong or pin)) and (fin or prong or pin))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/06 09:20	
21	BRS	83	((361/697 and fan and (prong or pin)) not (361/689 and fan and (fin or prong or pin))) not (361/690 and fan and (fin or prong or pin)) and (fin or prong or pin)) not (361/694 and fan and (fin or prong or pin))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/06 09:20	
22	BRS	79	((361/697 and fan and (prong or pin)) not (361/689 and fan and (fin or prong or pin))) not (361/690 and fan and (fin or prong or pin)) not (361/694 and fan and (fin or prong or pin)) not (361/695 and (fin or prong or pin)) not (361/699 and (fin or prong or pin))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/06 09:24	
23	BRS	509	257/722 and (pin or prong)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/06 09:24	
24	BRS	497	(257/722 and (pin or prong)) not (361/689 and fan and (fin or prong or pin))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/06 09:25	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
25	BRS	437	((257/722 and (pin or prong)) not (361/689 and fan and (fin or prong or pin))) not (361/690 and fan and (fin or prong or pin))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/06 09:25	
26	BRS	425	((257/722 and (pin or prong)) not (361/689 and fan and (fin or prong or pin))) not (361/690 and fan and (fin or prong or pin)) not (361/694 and fan and (fin or prong or pin))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/06 09:25	
27	BRS	386	((257/722 and (pin or prong)) not (361/689 and fan and (fin or prong or pin))) not (361/690 and fan and (fin or prong or pin)) not (361/694 and fan and (fin or prong or pin)) not (361/695 and (fin or prong or pin))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/06 09:26	
28	BRS	361	((257/722 and (pin or prong)) not (361/689 and fan and (fin or prong or pin))) not (361/690 and fan and (fin or prong or pin)) not (361/694 and fan and (fin or prong or pin)) not (361/695 and (fin or prong or pin)) not (361/699 and (fin or prong or pin))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/06 09:26	
29	BRS	334	((257/722 and (pin or prong)) not (361/689 and fan and (fin or prong or pin))) not (361/690 and fan and (fin or prong or pin)) not (361/694 and fan and (fin or prong or pin)) not (361/695 and (fin or prong or pin)) not (361/699 and (fin or prong or pin)) not (361/697 and fan and (prong or pin))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/06 09:32	
30	BRS	978	174/16.3 and (pin or prong)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/06 09:38	
31	BRS	943	(174/16.3 and (pin or prong)) not (361/689 and fan and (fin or prong or pin))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/06 09:32	
32	BRS	846	(174/16.3 and (pin or prong)) not (361/689 and fan and (fin or prong or pin)) not (361/690 and fan and (fin or prong or pin))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/06 09:33	
33	BRS	830	(174/16.3 and (pin or prong)) not (361/689 and fan and (fin or prong or pin)) not (361/690 and fan and (fin or prong or pin)) not (361/694 and fan and (fin or prong or pin))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/06 09:33	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
34	BRS	763	(((((174/16.3 and (pin or prong)) not (361/689 and fan and (fin or prong or pin))) not (361/690 and fan and (fin or prong or pin))) not (361/694 and fan and (fin or prong or pin))) not (361/695 and (fin or prong or pin)))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/06 09:33	
35	BRS	698	(((((174/16.3 and (pin or prong)) not (361/689 and fan and (fin or prong or pin))) not (361/690 and fan and (fin or prong or pin))) not (361/694 and fan and (fin or prong or pin))) not (361/695 and (fin or prong or pin))) not (361/699 and (fin or prong or pin)))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/06 09:33	
36	BRS	670	(((((174/16.3 and (pin or prong)) not (361/689 and fan and (fin or prong or pin))) not (361/690 and fan and (fin or prong or pin))) not (361/694 and fan and (fin or prong or pin))) not (361/695 and (fin or prong or pin))) not (361/699 and (fin or prong or pin)))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/06 09:34	
37	BRS	540	(((((174/16.3 and (pin or prong)) not (361/689 and fan and (fin or prong or pin))) not (361/690 and fan and (fin or prong or pin))) not (361/694 and fan and (fin or prong or pin))) not (361/695 and (fin or prong or pin))) not (361/699 and (fin or prong or pin)))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/06 09:35	
38	BRS	70	(((((174/16.3 and (pin or prong)) not (361/689 and fan and (fin or prong or pin))) not (361/690 and fan and (fin or prong or pin))) not (361/694 and fan and (fin or prong or pin))) not (361/695 and (fin or prong or pin))) not (361/699 and (fin or prong or pin)))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/06 09:36	
39	BRS	1343	165/80.3 and (pin or prong)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/06 09:44	
40	BRS	548	(165/80.3 and (pin or prong)) and fan	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/06 09:39	
41	BRS	563	(165/80.3 and (pin or prong)) and (fan or blower)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/06 09:39	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
42	BRS	513	((165/80.3 and (pin or prong)) and (fan or blower)) not (361/689 and fan and (fin or prong or pin))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/06 09:39	
43	BRS	365	((165/80.3 and (pin or prong)) and (fan or blower)) not (361/689 and fan and (fin or prong or pin)) not (361/690 and fan and (fin or prong or prong or pin))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/06 09:39	
44	BRS	336	((165/80.3 and (pin or prong)) and (fan or blower)) not (361/689 and fan and (fin or prong or pin)) not (361/690 and fan and (fin or prong or pin)) not (361/694 and fan and (fin or prong or pin))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/06 09:40	
45	BRS	237	((165/80.3 and (pin or prong)) and (fan or blower)) not (361/689 and fan and (fin or prong or pin)) not (361/690 and fan and (fin or prong or pin)) not (361/694 and fan and (fin or prong or pin)) not (361/695 and (fin or prong or pin))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/06 09:40	
46	BRS	213	((165/80.3 and (pin or prong)) and (fan or blower)) not (361/689 and fan and (fin or prong or pin)) not (361/690 and fan and (fin or prong or pin)) not (361/694 and fan and (fin or prong or pin)) not (361/695 and (fin or prong or pin)) not (361/699 and (fin or prong or pin))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/06 09:40	
47	BRS	164	((165/80.3 and (pin or prong)) and (fan or blower)) not (361/689 and fan and (fin or prong or pin)) not (361/690 and fan and (fin or prong or pin)) not (361/694 and fan and (fin or prong or pin)) not (361/695 and (fin or prong or pin)) not (361/699 and (fin or prong or pin)) not (361/697 and fan and (prong or pin))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/06 09:41	
48	BRS	137	((165/80.3 and (pin or prong)) and (fan or blower)) not (361/689 and fan and (fin or prong or pin)) not (361/690 and fan and (fin or prong or pin)) not (361/694 and fan and (fin or prong or pin)) not (361/695 and (fin or prong or pin)) not (361/699 and (fin or prong or pin)) not (361/697 and fan and (prong or pin)) not (257/722 and (pin or prong))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/06 09:41	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
49	BRS	93	(((((165/80.3 and (pin or prong)) and (fan or blower)) not (361/689 and fan and (fin or prong or pin))) not (361/690 and fan and (fin or prong or pin))) not (361/694 and fan and (fin or prong or prong or pin))) not (361/695 and (fin or prong or pin))) not (361/699 and (fin or prong or pin))) not (361/697 and fan and (prong or pin))) not (257/722 and (pin or prong))) not (174/16.3 and (pin or prong))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/06 09:41	
50	BRS	451	165/104.33 and (pin or prong)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/06 09:46	
51	BRS	195	(165/104.33 and (pin or prong)) not (165/80.3 and (pin or prong))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/06 09:44	
52	BRS	214	165/122 and (pin or prong)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/06 09:46	
53	BRS	168	(165/122 and (pin or prong)) not (165/104.33 and (pin or prong))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/06 09:46	
54	BRS	99	((165/122 and (pin or prong)) not (165/104.33 and (pin or prong))) not (165/80.3 and (pin or prong))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/06 09:47	
55	IS&R	2	((("6478082") or ("6501651"))).PN.	USPAT	2004/08/06 10:10	